

## List of tools for floor coatings (recommendations)

All data are based on room temperature

Product	Tools catalogue Sto SE & Co. KGaA	Article number	approx. con- sumption (kg/m <sup>2</sup> )	Tools
<b>StoPox WL 100</b> <b>StoPox WL 100 transp.</b> <b>StoPox WL 113</b> <b>StoPox WL 150</b> <b>StoPox WL 150 transp.</b> <b>StoPox WL 200</b> <b>StoPox WL 213</b>	Sto-Varnish Roller Cover Nylon RS13, 250 mm, pile height 13 mm Sto-Large-Area Roller Cover Nylon RS13, 500 mm Sto-Squeegee for Notched Rubber Blades Notched Rubber Blade 1 mm	08278-004 17802-001 17401-001 17401-013	0.12 – 0.2 (depending on the product)	
<b>StoPur WV 100</b> <b>StoPur WV 150</b> <b>StoPur WV 200</b> <b>StoPur WV 210</b>	Sto-Microfibre Roller Cover, 250 mm, pile height 8 mm Sto-Large-Area Roller Cover Microfibre, 500 mm, pile height 8 mm Sto-Squeegee for Notched Rubber Blades Notched Rubber Blade 1 mm	17803-003 17802-005 17401-001 17401-013	0.08 – 0.15 (depending on the product)	
<b>StoPur WV 152 transp.</b> <b>StoPur WV 202</b> <b>StoPur WV 202 transp.</b> <b>StoPur WV 205 transp.</b>	Sto-Large-Area Roller Cover Nylon RS8, pile height 8 mm Sto-Varnish Roller Cover Nylon RS8 Sto-Squeegee for Notched Rubber Blades Notched Rubber Blade 1 mm	17802-003 08278-006 17401-001 17401-013	0.08 – 0.15 (depending on the product)	
<b>StoPox KU 401</b> <b>StoPox KU 411</b>	Sto-Finishing Trowel, 280 x 130 x 0.75 mm Sto-Texturing Roller Cover, medium-fine, 250 mm, Ø 74 mm, foam Sto-Texturing Roller Cover, coarse, rounded on both sides, 250 mm, Ø 74 mm, foam	08288-030 08354-009 08354-011	0.6 – 0.8	
<b>StoPox BB OS</b> <b>StoPox KU 601</b> <b>StoPox KU 614</b>	Sto-Upright Squeegee with clamping strip, 560 mm Sto-Pole Bracket Ø 25 mm Sto-Notched Blade, 280 x 25 mm, notch shape 48 Sto-Notched Blade, 280 x 25 mm, notch shape 95 Sto-Spiked Roller Sleeve Duo Frame Sto-Spiked Roller Sleeve Standard	17403-001 08289-007 08373-019 08373-021 17406-003 17406-001	1.8 – 2.2 (binder)	

## List of tools for floor coatings (recommendations)

All data are based on room temperature

Product	Tools catalogue Sto SE & Co. KGaA	Article number	approx. con- sumption (kg/m <sup>2</sup> )	Tools
<b>StoPox KU 611</b>	Sto-Upright Squeegee with clamping strip, 560 mm	17403-001	1.8 – 2.2	
	Sto-Pole Bracket Ø 25 mm	08289-007		
	Sto-Notched Blade, 280 x 25 mm, notch shape 48	08373-019		
	Sto-Spiked Roller Sleeve Duo Frame	17406-003		
	Sto-Spiked Roller Sleeve Standard	17406-001		
<b>StoPox WB 100</b> <b>StoPox WB 110</b> <b>StoPox WB 113</b>	Sto-Upright Squeegee with clamping strip, 560 mm	17403-001	3,0 – 4,0	
	Sto-Pole Bracket Ø 25 mm	08289-007		
	Sto-Notched Blade, 280 x 25 mm, notch shape 48	08373-019		
	Sto-Notched Blade, 280 x 25 mm, notch shape 78	08373-007		
	Sto-Spiked Roller Sleeve Duo Frame	17406-003		
	Sto-Spiked Roller Sleeve Standard	17406-001		
<b>StoPox WHG Deck 100</b> <b>StoPox WHG Deck 110</b>	Sto-Upright Squeegee with clamping strip, 560 mm	17403-001	2.5	
	Sto-Pole Bracket Ø 25 mm	08289-007		
	Sto-Notched Blade, 280 x 25 mm, notch shape 92	08373-020		
	Sto-Spiked Roller Sleeve Duo Frame	17406-003		
	Sto-Spiked Roller Sleeve Standard	17406-001		

## List of tools for floor coatings (recommendations)

All data are based on room temperature

Product	Tools catalogue Sto SE & Co. KGaA	Article number	approx. con- sumption (kg/m <sup>2</sup> )	Tools
<b>StoPox WHG Deck 105</b> <b>StoPox WHG Deck 115</b>	Sto-Upright Squeegee with clamping strip, 560 mm	17403-001	1.5 – 2.0	
	Sto-Pole Bracket Ø 25 mm	08289-007		
	Sto-Notched Blade, 280 x 25 mm, notch shape 95	08373-021		
	Sto-Spiked Roller Sleeve Duo Frame	17406-003		
	Sto-Spiked Roller Sleeve Standard	17406-001		
<b>StoPox DV 100</b> <b>StoPox DV 502</b> <b>StoPur DV 503 transp.</b> <b>StoPur DV 505</b> <b>StoPur DV 506</b> <b>StoPur DV 508</b> <b>StoPur TC 100 transp.</b> <b>(StoPox BB OS, StoPox KU 601 as sealing coat on scatter coatings)</b>	Sto-Rubber Squeegee Profi, red, 550 mm, double-lipped	17400-006	0.6 – 1.0 (depending on the product)	
	Sto-Varnish Roller Cover Nylon RS13, 250 mm, pile height 13 mm	08278-004		
	Sto-Large-Area Roller Cover Nylon RS13, 500 mm	17802-001		
	Sto-Varnish Roller Cover Nylon RS8	08278-006		
	Sto-Large-Area Roller Cover Nylon RS8, pile height 8 mm	17802-003		
<b>StoPox CS 100 with Sto Ballotini Ø 180 - 300 µm or Ø 250 - 425 µm</b>	Sto-Finishing Trowel, 280 x 130 x 0.75 mm	08288-030	0.2	
	Sto-Texturing Roller Cover, medium-fine, 250 mm, Ø 74 mm, foam	08354-009		
	Sto-Texturing Roller Cover, coarse, rounded on both sides, 250 mm, Ø 74 mm, foam	08354-011		
<b>StoPur BB 100</b>	Sto-Upright Squeegee with clamping strip, 560 mm	17403-001	2.5	
	Sto-Pole Bracket Ø 25 mm	08289-007		
	Sto-Adjustable Notched Trowel, 280 x 100 mm	08255-001		
	Sto-Notched Blade, 280 x 25 mm, notch shape 48	08373-019		


## List of tools for floor coatings (recommendations)

All data are based on room temperature

Product	Tools catalogue Sto SE & Co. KGaA	Article number	approx. con- sumption (kg/m <sup>2</sup> )	Tools
<b>StoPur CL 125</b> <b>StoPur IB 500</b> <b>StoPur IB 510</b>	Sto-Upright Squeegee with clamping strip, 560 mm	17403-001	1.8 – 2.0	
	Sto-Pole Bracket Ø 25 mm	08289-007		
	Sto-Notched Blade, 280 x 25 mm, notch shape 48	08373-019		
	Sto-Notched Blade, 280 x 25 mm, notch shape 95	08373-021		
	Sto-Spiked Roller Sleeve Duo Frame	17406-003		
	Sto-Spiked Roller Sleeve Standard	17406-001		
<b>StoPox TEP MultiTop*</b> <b>StoPox 590 EP</b>	Sto-Upright Squeegee with clamping strip, 560 mm	17403-001	2.0 – 2.5 (binder)	
	Sto-Pole Bracket Ø 25 mm	08289-007		
	Sto-Notched Blade, 280 x 25 mm, notch shape 48	08373-019		
	Sto-Notched Blade, 280 x 25 mm, notch shape 95	08373-021		
	*Sto-Spiked Roller Sleeve Duo Frame	17406-003		
	*Sto-Spiked Roller Sleeve Standard	17406-001		
<b>StoPur PM MultiBase</b>	Sto-Upright Squeegee with clamping strip, 560 mm	17403-001	2.8 – 3.2	
	Sto-Pole Bracket Ø 25 mm	08289-007		
	Sto-Notched Blade, 280 x 25 mm, notch shape 48	08373-019		
	Sto-Spiked Roller Sleeve Duo Frame	17406-003		
	Sto-Spiked Roller Sleeve Standard	17406-001		

## List of tools for floor coatings (recommendations)

All data are based on room temperature

Product	Tools catalogue Sto SE & Co. KGaA	Article number	approx. con- sumption (kg/m <sup>2</sup> )	Tools
<b>StoPur AC MultiCoat</b>	Angled finishing spatula for applying a scratch coat	17403-003	1.8 – 2.7	  
	Sto-Varnish Roller Cover Nylon RS8	08278-006		
	Sto-Large-Area Roller Cover Nylon RS8, pile height 8 mm	17802-003		
<b>StoPur EZ 500*</b> <b>StoPur EZ 502</b>	Sto-Upright Squeegee with clamping strip, 560 mm	17403-001	1.9 – 2.3 (binder)	     
	Sto-Pole Bracket Ø 25 mm	08289-007		
	Sto-Notched Blade, 280 x 25 mm, notch shape 48	08373-019		
	Sto-Notched Blade, 280 x 25 mm, notch shape 95	08373-021		
	*Sto-Spiked Roller Sleeve Duo Frame	17406-003		
	*Sto-Spiked Roller Sleeve Standard	17406-001		
<b>StoPma DV 500</b> <b>StoPma DV 500 transp.</b>	Sto-Rubber Squeegee Profi, red, 550 mm, double-lipped	17400-006	0.3 – 0.6	   
	Sto-Rubber Squeegee Profi, black, 600 mm, double-lipped	17400-001		
	Sto-Varnish Roller Cover Nylon RS8	08278-006		
	Sto-Large-Area Roller Cover Nylon RS8, pile height 8 mm	17802-003		