

# Declaration of Performance for the construction product Sto-Ecotwist

<b>Unique identification code of the product-type</b>	PROD2082 Sto-Ecotwist
<b>Intended use/es</b>	anchor in accordance with ETA for fixing external wall insulation systems, use categories: A, B, C, D, and E
<b>Manufacturer</b>	Sto SE & Co. KGaA, Ehrenbachstr. 1, D-79780 Stühlingen
<b>System/s of AVCP</b>	system 2+
<b>Harmonised standard</b>	anchor in accordance with ETA
<b>Notified body/ies</b>	TU Darmstadt NB 2873
<b>European Assessment Document</b>	EAD 330196-01-0604
<b>European Technical Assessment</b>	see ETA-12/0208/fischerwerke (TermoZ SV II Ecotwist)
<b>Technical Assessment Body</b>	Deutsches Institut für Bautechnik Berlin
<b>Appropriate Technical Documentation and/or Specific Technical Documentation</b>	Not relevant

## Declared performance/s

Essential characteristics	Performance	Harmonised technical specification
Slip modulus	See ETA-12/0208	EAD 330196-01-0604
Plate stiffness	See ETA-12/0208	EAD 330196-01-0604
Edge and axis spacing	See ETA-12/0208	EAD 330196-01-0604
Characteristic load bearing capacity with tensile stress	See ETA-12/0208	EAD 330196-01-0604
Point thermal transmittance (CHI value)	See ETA-12/0208	EAD 330196-01-0604

*NPD = no performance determined*

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ppa Francisco Ramos / Head of Business Fields Facade and Interiors

This copy was created by machine and is valid without signature.

04.10.2023

Sto SE & Co. KGaA, Ehrenbachstr. 1, D-79780 Stühlingen

The current valid version of the declaration of performance is available at [www.sto.com/ce](http://www.sto.com/ce).



Sto SE & Co. KGaA  
Ehrenbachstr. 1  
D-79780 Stühlingen

01-0180-2

12

NB 2873

**PROD2082 Sto-Ecotwist**  
anchor in accordance with ETA

for fixing external wall insulation systems, use categories: A, B, C, D, and E

Slip modulus	See ETA-12/0208
Plate stiffness	See ETA-12/0208
Edge and axis spacing	See ETA-12/0208
Characteristic load bearing capacity with tensile stress	See ETA-12/0208
Point thermal transmittance (CHI value)	See ETA-12/0208