

Declaration of performance for the building product

StoTex Avantgarde



Identification code of the product type	PROD0035 StoTex Avantgarde
Intended use	Interior cladding of walls, separating walls and ceilings
Manufacturer	Sto SE & Co. KGaA, Ehrenbachstr. 1, D-79780 Stühlingen
System or systems of evaluation and verification of constancy of performance	System 3
Harmonised standard	EN 15102 Wall cladding product
Notified body	MFPA Leipzig GmbH NB 0800 carried out the initial test of the building product with regard to reaction to fire in accordance with system 3 and issued a test / classification report.
European Technical Assessment	Not relevant
Suitable technical documentation	Not relevant

Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	B-s1, d0	EN 15102:2007
Sound absorption	NPD	EN 15102:2007
Formaldehyde emission	Passed	EN 15102:2007
Hazardous materials: heavy metals and other elements	Passed	EN 15102:2007
Hazardous materials: vinyl chloride monomer (VCM)	Passed	EN 15102:2007
Thermal resistance	NPD	EN 15102:2007

The performance of the product conforms with the declared performance. The manufacturer is solely responsible for compiling this declaration of performance.

Signed for the manufacturer and on behalf of the manufacturer of:



Attachment: Safety data sheet

	Sto SE & Co. KGaA Ehrenbachstraße 1 D-79780 Stühlingen	01-0175-1	11	0800
PROD0035 StoTex Avantgarde EN 15102 Wall cladding product				
Interior cladding of walls, separating walls and ceilings				
Reaction to fire	B-s1, d0			
Sound absorption	NPD			
Formaldehyde emission	Passed			
Hazardous materials: heavy metals and other elements	Passed			
Hazardous materials: vinyl chloride monomer (VCM)	Passed			
Thermal resistance	NPD			