

Sustainability Data Sheet



StoSil Struktur Medium

Preservative-free, suitable for texturing, dead-matt, interior dispersion silicate paint

For product description see Technical Data Sheet (if available)

Information for building certifications in accordance with DGNB

Quality level (ENV1.2, in accordance with the criteria matrix, DGNB System Version 2018)

no. 2: coatings mainly on mineral substrates in interiors (decorative paints, primers, decorative fillers): meet quality level 4 - solvent-free and plasticiser-free (in accordance with VdL guideline 01) or DE-UZ 102

Quality level (ENV1.2, in accordance with the criteria matrix, DGNB System Version 2023)

No. 2: coatings mainly on mineral substrates in interiors (decorative paints, primers, decorative fillers, as well as deep-acting primers, floor coatings without any special resistance requirements, concrete lasures): meets quality level 4 – solvent-free, plasticiser-free, and preservative-free (in accordance with VdL guideline 01) or equivalence with DE-UZ 102 in relation to the VOC/SVOC content and preservatives

Product-specific LCA values (ENV 1.1 and ENV 2.1)

in accordance with EPD

Product-specific life cycle (ECO1.1)

5 years in interior application (in accordance with BNB)

Impact on acoustic comfort (SOC1.3)

not assessed

Cleaning instructions (PRO1.5 and TEC1.5)

see Technical Data Sheet

Easy to recycle building material selection (TEC1.6)

can be reworked

Information for building certifications in accordance with LEED

VOC content (EQ Credit: Low-emitting materials)

see Safety Data Sheet (section 15)
in accordance with Directive 2004/42/CE
Met in accordance with LEED v.4

VOC and SVOC emissions (EQ Credit: Low-emitting materials)

TÜV SÜD
Met in accordance with LEED v.4

Formaldehyde emissions

TÜV SÜD
Met in accordance with LEED v.4

Sustainability Data Sheet



StoSil Struktur Medium

| | |
|---|-----|
| Recyclable percentage (post-consumer recycled content) (MR Credit: Sourcing of raw materials) | 0 % |
| Recyclable percentage (pre-consumer recycled content) (MR Credit: Sourcing of raw materials) | 0 % |
| Renewable raw materials (bio-based materials) (MR Credit: Sourcing of raw materials) | 0 % |

Information for building certifications in accordance with BREEAM

| | |
|---|---|
| Formaldehyde (Hea 02: indoor air quality) | limit of quantification $\leq 0.01 \text{ mg/m}^3$ (excellent quality) below the limit of quantification, see test report |
| VOC content (Hea 02: indoor air quality) | see Safety Data Sheet (section 15) |
| VOC emissions (Hea 02: indoor air quality) | limit of quantification $\leq 0.3 \text{ mg/m}^3$ (excellent quality) below the limit of quantification, see test report |
| SVOC emissions (Hea 02: indoor air quality) | limit of quantification $\leq 0.1 \text{ mg/m}^3$ (excellent quality) below the limit of quantification, see test report |
| CMR substances (Hea 02: indoor air quality) | limit of quantification $\leq 0.001 \text{ mg/m}^3$ (excellent quality) below the limit of quantification, see test report |

Eco-labels and environmental labels

Certificates, eco-label, environmental label



TÜV SÜD “low-emission, tested for harmful substances, and production monitored”
TÜV SÜD - Certificate/eco-label no. TM-10/250807-9
Medium



Declaration of conformity No. ECO-FR-076



Declaration of conformity No. ECO-CH-041



ecobau / Minergie ECO classification: eco1
(ecobau Methodik Baumaterialien (methodology on building materials)) annex 4, January 2023)

Sustainability Data Sheet



StoSil Struktur Medium

| | |
|---|--|
| Environmental Product Declaration (EPD) | |
| |  EPD-VDL-20240615-IBN1-DE |
| GISCODE (in accordance with GISBAU) | |
| | BSW10 |
| Safety Data Sheet (SDS) | |
| | available |
| Technical Data Sheet (TDS) | |
| | available |
| Product ingredients | |
| Composition | |
| | <p>In accordance with the VdL directive (German Paint and Printing Ink Association) on coating materials for buildings</p> <ul style="list-style-type: none"> inorganic binding agent Polymer dispersion titanium dioxide mineral extenders silicate extenders Water matting agent Thickener Hydrophobic agents stabilisers anti-foaming agents dispersing agent |
| Organic component (in accordance with natureplus, baubook) | |
| | < 5 % |
| Hazardous substances (in accordance with EU regulations) | |
| | See Safety Data Sheet (section 3) |
| CMR substances (VOC) | |
| | contains titanium(IV) oxide (not in powder-form) |
| VOC content (in accordance with Directive 2004/42/CE) | |
| | see Safety Data Sheet (section 15) |
| Plasticiser | |
| | plasticiser-free (materials in accordance with VdL guideline 01), (after formulation evaluation) |

Sustainability Data Sheet



StoSil Struktur Medium

| | |
|---|---|
| Free formaldehyde | formaldehyde-free in accordance with VdL Guideline 01 |
| Biocide(s), active substance(s) for protection of the coating (in accordance with Regulation (EU) No 528/2012) | not present |
| Biocide(s), active substance(s) for protection of the product during storage (in accordance with Regulation (EU) No 528/2012) | not present, If tinted versions are used, small amounts of preservatives can get into the material due to the pigments. |
| Heavy metals | below limiting value(< 1 mg/kg, per heavy metal) (migration in accordance with EN 71-3) |
| Compliance with the emissions restrictions of the titanium dioxide industry (in accordance with Directive 2010/75/EU and 25th Ordinance for the Implementation of the Federal Immission Control Act) | yes |
| SVHC in accordance with the chemicals regulation REACH (EG/1907/2006), notes XIV | not present |
| Emissions, CO2 balance sheet | |
| Carbon dioxide value (manufacturing A1-A3) (cradle-to-gate) | 2,18 kg CO2e / kg |
| Carbon dioxide value (life cycle A1-D) | 2,24 kg CO2e / kg |
| Semi-volatile organic compounds SVOCs | cannot be determined (limit of quantification: 0.002 mg/m ³) (see test report) |
| Disposal, re-use, recycling | |
| Disposal of residue | correctly sorted, clean material can be recycled see Safety Data Sheet (section 13) |
| Disposal of dismantled building material | can be reworked, refer to EPD chapter 2.14 and 2.15 |
| Packaging, pails, films | The return of used packaging and its correct recycling is organised and certified in accordance with the statutory |

Sustainability Data Sheet



StoSil Struktur Medium

| | |
|--|--|
| | requirements with a regional disposal company. |
| Sto corporate responsibility | |
| Guiding principles, management of the company | Sto's vision is to be the technology leader in the sustainable design of living space tailored to human needs. Worldwide. For further information please visit: www.sto.com |
| UN Global Compact - membership | Sto is a member of the UN Global Compact and is committed to upholding ten universally acknowledged principles taken from the areas of human rights, labour standards, environmental protection, and anti-corruption. For further information please visit: www.unglobalcompact.org |
| ILO fundamental conventions | Sto has committed itself to adhering to the ILO fundamental conventions at all of its locations. |
| Quality management, environmental management, energy management | Production location certified in accordance with DIN EN 9001, DIN EN 14001, and DIN EN 50001. |
| Supplier code of conduct | The Sto Supplier Code of Conduct is based on the principles of the UN Global Compact and the Sto Guiding Principles. Suppliers must adhere to these and are continuously evaluated. |

Sustainability Data Sheet



StoSil Struktur Medium

This document aims to help you better assess the sustainability of our products. We consider sustainability to be a complex process that involves bringing together economic, ecological, and social criteria in order to satisfy the needs of current and future generations. Our products aim to contribute to this, while also meeting the requirements placed on them with respect to well-being, quality, and functionality. We regard sustainability as a process of continuous improvement, not one with an end result. With this in mind, we have defined the following core statements for our products:

1. Sto products make a contribution to key aspects of sustainability: e.g. climate protection, building, energy, and resource efficiency, protection and durability, health, and well-being.
2. All of the raw materials used in Sto products fulfil the functions for their application and are optimised with respect to their impact on the environment - based on the latest technology.
3. Sto products are produced in an energy and resource-efficient manner; renewable raw materials are used when appropriate and acceptable from an ecological, economical, and social perspective.
4. Sto evaluates and promotes the potential to dispose of, reuse, and recycle its products, taking technological and economical feasibility into account.

It is not just down to us to determine how the sustainability of our products is interpreted and evaluated - your opinions and decisions also play a role. The information listed here, which has the environment and health as its main focus, aims to assist you in this regard.

The information and data contained in this sustainability data sheet is based on our knowledge and experience. The publication of a new sustainability data sheet invalidates all previous versions. Please observe the information in the Technical Data Sheet and Safety Data Sheet. The latest version is available on the Internet.

Sto SE & Co. KGaA
Ehrenbachstr. 1
D - 79780 Stühlingen
Phone: 07744 57-0
Fax: 07744 57-2178
infoservice@sto.com
www.sto.de