

Technical Data Sheet

StoCryl VV

Cleaning agent for tools and CFRP plates



Characteristics

- Area of application**
- as cleaning agent for Sto S&P CFK Plates
 - as cleaning agent for tools

- Properties**
- high cleaning efficiency

Technical data

Criterion	Standard / test specification	Value/ Unit	Notes
Density		0,86 g/cm ³	average value
The characteristic values stated are average values or approximate values. Due to the natural raw materials in our products, the stated values can vary slightly in the same delivery batch; this does not affect the suitability of the product for its intended use.			

Application

Application

For application, see the Technical Data Sheets of the products where StoCryl VV is used.

Note:

Adding StoCryl VV to StoPox or StoPur products in order to decrease their viscosity requires the written permission of the supplier.

Adding cleaning agents can have a negative effect on the material's properties and appearance.

Notes, recommendations, special information, miscellaneous

General application instructions are available at www.stocretec.de and in the notes of the latest Technical Manual.

Delivery

Packaging Can

Article number	Name	Container
14325-001	StoCryl VV	8 kg can

Technical Data Sheet

StoCryl VV

Storage

Storage conditions	Store in dry conditions.
Storage life	Best quality in original container until ... (see packaging).

Certificates/approvals

Z-36.12-86	GUT-00001002
Z-36.12-88	Sto S&P CFK Lamella, slotted
Z-36.1-87	GUT-00001001

Identification

Product group	Thinner and cleaning agent
----------------------	----------------------------

GISCODE	M-VM04
----------------	--------

Safety	<p>This product is subject to compulsory labelling in accordance with the current EU regulation.</p> <p>You will receive an EU Safety Data Sheet with your first order.</p> <p>Please observe the information regarding the handling of the product, its storage, and disposal.</p>
---------------	---

Special notes

The information in this Technical Data Sheet serves to ensure the product's intended use, or its suitability for use, and is based on our findings and experience. Users are nevertheless responsible for establishing the product's suitability and use.

Applications not specifically mentioned in this Technical Data Sheet are permissible only after prior consultation. Where no approval is given, such applications are at the user's own risk. This applies in particular when the product is used in combination with other products.

When a new Technical Data Sheet is published, all previous Technical Data Sheets are no longer valid. The latest version is available on the Internet.

Technical Data Sheet

StoCryl VV

D-65830 Kriftel

Tel.: +49 6192 401-104
Fax: +49 6192 401-105
stocretec@sto.com
www.stocretec.de